

Reproducibility in computational linguistics: are we willing to share?

Martijn Wieling*
University of Groningen

Josine Rawee**
University of Groningen

Gertjan van Noord†
University of Groningen

This study focuses on an essential precondition for reproducibility in computational linguistics: the willingness of authors to share relevant source code and data. Ten years after Ted Pedersen’s influential “Last Words” contribution in Computational Linguistics, we investigate to what extent researchers in computational linguistics are willing and able to share their data and code. We surveyed all 395 full papers presented at the 2011 and 2016 ACL Annual Meetings, and identified if links to data and code were provided. If working links were not provided, authors were requested to provide this information. While data was often available, code was shared less often. When working links to code or data were not provided in the paper, authors provided the code in about one third of cases. For a selection of ten papers, we attempted to reproduce the results using the provided data and code. We were able to reproduce the results approximately for half of the papers. For only a single paper we obtained the exact same results. Our findings show that even though the situation appears to have improved comparing 2016 to 2011, empiricism in computational linguistics still largely remains a matter of faith (Pedersen 2008). Nevertheless, we are somewhat optimistic about the future. Ensuring reproducibility is not only important for the field as a whole, but also for individual researchers: below we show that the median citation count for studies with working links to the source code are higher.

1. Introduction

In the past years, reproducibility¹ of experimental research results has been an important topic in the scientific debate across many disciplines. There now even is a Wikipedia page on the topic entitled *Replication crisis*², with a description of some of the most worrying results and links to the relevant studies. In a survey conducted by *Nature* in 2016, more than half of over 1,500 participating scientists claim there is a “significant reproducibility crisis”.

For computational linguistics, one might initially be optimistic about reproducibility, given that we mostly work with relatively “static” data-sets and computer programs — rather than, for instance, with human subjects or chemical substances. Yet, Pedersen

* E-mail: wieling@gmail.com

** E-mail: josine@rawee.nl

† E-mail: g.j.m.van.noord@rug.nl

1 In line with Liberman (2015) and Barba (2018), we reject the unfortunate swap in the meaning of reproduction and replication by Drummond (2009). Consequently, with reproduction, we denote the exact re-creation of the results reported in a publication using the same data and methods.

2 https://en.wikipedia.org/wiki/Replication_crisis

(2008) points out in a very recognizable “Last Words” contribution in Computational Linguistics that it is often impossible to obtain the relevant data and software. Our study, ten years later, investigates if this basic prerequisite for reproducibility is now in a better state.

Reproducing the outcome of an experiment is often difficult because there are many details which influence the outcome, and more often than not those details are not properly documented. Observations about reproducibility difficulties have been made frequently in the past. [Bikel \(2004\)](#), for instance, attempted to reproduce the parsing results of [Collins \(1999\)](#) but initially did not get nearly the same results. Bikel then continues to show that implementing Collins’ model using only the published details causes an 11% increase in relative error over Collins’ own published results.

[Fokkens et al. \(2013\)](#) report on two failed reproduction efforts. Their results indicate that even if data and code is available, reproduction is far from trivial, and they provide a careful analysis why reproduction is hard. They show that many details (including pre-processing, the experimental setup, versioning, system output, and system variations) are important in reproducing the exact results of published research. In most cases, such details are not documented in the publication, nor elsewhere. Their results are the more striking, because one of the co-authors of this study was the original author of the paper documenting the experiments that the authors set out to reproduce.

It is clear, therefore, that in computational linguistics reproducibility cannot be taken for granted either — as is also illustrated by recent initiatives such as the IJCAI workshop on replicability and reproducibility in NLP in 2015, the set-up of a dedicated LREC workshop series “4Real” with workshops in 2016 and 2018, and the introduction of a special section of the LRE journal ([Branco et al. 2017](#)).

Our study extends the study of [Mieskes \(2017\)](#). She investigated how often studies published at various CL conferences provided a link to the data. She found that about 40% of the papers collected new data or changed existing data. Only in about 65% of these papers, a link to the data was provided. A total of 18% of these links did not appear to work.

In our study, we will focus on another essential precondition for reproduction, namely the availability of the underlying source code. We will evaluate how often data and source code is shared. We did not only follow up on links given in the paper, but we have contacted authors of papers by email with requests for their data and code as well. In addition, we will investigate to what extent we are able to reproduce results of 10 studies for which we were able to obtain the relevant data and software. Our study is related to the study of [Collberg, Proebsting, and Warren \(2015\)](#) who investigated the frequency with which they could obtain the source code and data for publications in ACM conferences and journals, and if the received code could be compiled. They found that only in about one third of the cases they were able to obtain and build the code without any special efforts.

Importantly, we will also evaluate (a rough indication of) the impact of each study via the citation counts of each study. Specifically, we will assess if there are observable differences in impact when comparing papers which share their code directly (i.e. via a link in the paper) versus those which do not. Since we establish that papers which provide links to the code are typically somewhat more often cited than papers which do not, we hope to provide researchers in computational linguistics with additional motivation to make their source code available.

2. Methods

2.1 Obtaining data and source code

The goal of this study is to assess the availability of the underlying data and source code of CL studies which were presented at two ACL conferences. We selected all full papers from the 2011 and 2016 ACL Annual Meetings (in Portland and Berlin), enabling us to compare the willingness and ability to share data for older (i.e. over 6 years ago at the time our study was conducted) versus more recent studies (i.e. about 1 year ago at the time our study was conducted).

Our procedure was as follows. For all 2011 and 2016 ACL full papers, we assessed if data and/or software (i.e. source code) was used, modified or created. For each paper, we subsequently registered if links to data and/or the software were made available.³ If data and/or source code was used and not made available, we contacted the first author of the study with a request for the data and/or source code (depending on what was missing).

Given that we wanted to get a realistic estimate of the number of authors who were willing to provide their data and/or source code, we used the email text shown in Figure 1. There are two points which warrant further elaboration. The first point is that we constructed the email text in such a way that the recipients had the impression that their specific study would be reproduced. While this is not completely fair to the authors (since we only reproduced a small sample), simply asking them about their willingness to provide the data and/or source code without actually asking them to send the files would have resulted in overly optimistic results.⁴ The second point is that we explicitly indicated that one of the senders was a past president of the ACL. Given that the request for source code and/or data came from an established member of the ACL community, it is likely that our request was not dismissed easily. We will return to this point in the discussion.

The first email was sent on September 9, 2017 to the first author of each study for which data and/or source code was not available. If the email address (which was extracted from the paper) did not exist anymore, we tried to obtain the current email address via a Google search. In the very few cases where this did not work, we sent the email to another author of the paper. If the author did not send the data and/or source code (nor replied that it was not possible to send te requested information), we sent a second and final email on October 24, 2017. In contrast to the first email, this second email was sent to all authors of the paper, and the deadline for sending the information was extended to November 19, 2017.

A slightly different procedure was used for those authors who provided links in the paper to their source code and/or data which were not accessible anymore. In that case we immediately contacted all authors with a request (similar to Figure 1) to send us the updated link to the data and/or source code within two weeks. As these authors already made this information available earlier, we only sent a single email and no reminder.

For each of the 395 papers in this study, we obtained citation counts from Google Scholar on March 10, 2018.

³ Data was also registered as being available if it could be obtained for a fee, such as data sets provided by the Linguistic Data Consortium.

⁴ This is exemplified by the fact that over a dozen authors replied to us indicating that they would provide us with the files before the deadline, but failed to do so.

Dear [FIRST AUTHOR],

We are conducting a reproducibility study of past ACL papers. We are particularly interested in assessing how well the results of these papers, even though these were sometimes published quite a while ago, can be reproduced by using the code and data (or link to data and code, if already publicly available) of the authors themselves. Your paper was included in our selection, and therefore we would like to request if you could send (a link to) your code, (a link to) the data you used, and the instructions of how to reproduce the results in your paper "[PAPER TITLE]" to the email address [SENDER email].

We would appreciate it very much if you could send us the information *before October 15*. If you are not willing or able to send us the information, we'd appreciate a short reply as well.

Thank you for your time and effort!

With kind regards,

[SENDER 1], former ACL president
[SENDER 2]
[SENDER 3]
[SENDER AFFILIATIONS]

Figure 1

Email text used to request data and/or code from the first author.

2.2 Reproducing results from selected studies

After having obtained the underlying data and/or code we attempted to reproduce the results of a selection of five studies from 2011 (Nakov and Ng 2011; He, Lin, and Alani 2011; Sauper, Haghighi, and Barzilay 2011; Liang, Jordan, and Klein 2011; Branavan, Silver, and Barzilay 2011) and five studies from 2016 (Coavoux and Crabbé 2016; Gao et al. 2016; Hu et al. 2016; Nicolai and Kondrak 2016; Tian, Okazaki, and Inui 2016) for which the data and source code was provided, either through links in the paper, or to us after our request. Our approach to reproduce these results was as follows: we used the information provided in the paper and accompanying the source code to reproduce the results. If we were not able to run the source code, or if our results deviated from the results of the authors, we contacted the authors to see if they were able to help. Note that this should only be seen as a minimal reproduction effort: we limited the amount of our own time spent on reproducing each study to a total of 8 hours. The results obtained within this time limit were compared with the original results of the aforementioned studies.

3. Results

3.1 Availability of data and/or source code

The distribution of the links which were available and the responses of the authors we contacted is shown in Table 1. While most of the data was already provided or uniquely specified in the paper (i.e. links worked in 64-79% of cases), this was not the same for the source code (provided in 19-36% of cases). After having contacted the authors, and including that data and source code as well (i.e. providing the updated

Table 1

Distribution of data and code availability in both 2011 and 2016.

	2011: data		2016: data		2011: code		2016: code	
Data / code available	116	75.8%	196	86.3%	48	33.1%	131	59.3%
- working link in paper	98	64.1%	179	78.9%	27	18.6%	80	36.2%
- link sent	11	7.2%	15	6.6%	17	11.7%	50	22.6%
- repaired link sent	7	4.6%	2	0.9%	4	2.8%	1	0.5%
Data / code unavailable	37	24.2%	31	13.7%	97	66.9%	90	40.7%
- sharing impossible	19	12.4%	14	6.2%	46	31.7%	42	19.0%
- no reply	17	11.1%	12	5.3%	43	29.7%	32	14.5%
- good intentions	0	0.0%	2	0.9%	5	3.4%	12	5.4%
- link down	1	0.7%	3	1.3%	3	2.0%	4	1.8%
Total	153	100%	227	100%	145	100%	221	100%
No data/code used	11		4		19		10	
Total nr. of papers	164		231		164		231	

link or sending the data and/or source code), these percentages increased to 76-86% for the data availability, and 33-59% for the source code availability. When contacting the authors, the most frequent response type was that sharing was impossible due to (e.g.,) having moved to another institute or company and not having access to the data, being prohibited of sharing source code which used proprietary company tools, or having lost the data or source code. The second-most frequent type we observed, was the absence of action. In those cases, we did not receive any reply to our emails. The third-most frequent response type were authors with good intentions, who replied that they were going to send the requested data and/or code, but did not end up doing so. In only very few cases (1-2%), the link to the source code and/or data was not provided anew, if it was initially present in the paper and not working anymore. While the total percentage of available data and/or source code is informative, another important measure is how often the source code and/or data was provided in case it needed to be requested (i.e. the sum of the sent and repaired link sent frequencies in the appropriate column in Table 1 as a proportion of the sum of these two frequencies and the number of papers in the corresponding column for which data or code was unavailable). Unfortunately, these percentages are rather low with 32.7% for requested 2011 data, 35.4% for requested 2016 data, 17.8% for requested 2011 source code, and 36.2% for requested 2016 source code. In sum, if data and/or source code has not been referenced through a link to a repository in the paper, authors will most likely not (be able to) supply this information.

There is a clear improvement between 2011 and 2016. The number of papers which contained a working link to source code almost doubled. Of course, the improvement can be explained at least partly by observing that it is much easier to share recent data and source code, rather than older data and code from five years ago.

Now another important question is, if we get access to the data and/or code, how likely is it that the results reported therein are reproducible? The following subsection attempts to provide a tentative answer to this question.

3.2 Reproducibility of selected studies

For the 2011 papers we selected, we were only able to reproduce the results of a single study (Liang, Jordan, and Klein 2011) perfectly (time invested: 4 hours). For the study of He, Lin, and Alani (2011), we were able to reproduce the results almost (but not quite) perfectly: their reported performance was 94.98%, whereas the performance we obtained was 94.8% (using the same version of the underlying MACHINE Learning for LANGUAGE Toolkit the authors used). Interestingly, the performance was reduced to 83.3% when the most recent version of the MALLET toolkit was used (which was also noted by the authors). Unfortunately, we were not able to reproduce any results for the three remaining 2011 studies we selected (Sauper, Haghghi, and Barzilay 2011; Branavan, Silver, and Barzilay 2011; Nakov and Ng 2011).

The results are somewhat better for the 2016 papers we selected. For the paper of Coavoux and Crabbé (2016), we were able to reproduce (within 5.5 hours) most of the results exactly as reported. There was only a single value out of ten, which we were not able to compute. For the study of Gao et al. (2016), the reproduction results (obtained within 2 hours) were mixed. Out of 72 accuracy scores, 40 were identical, 22 deviated up to 10 points, and the remaining 10 accuracy scores deviated between 10 and 50 points. For the study of Hu et al. (2016) we obtained results (within 3.5 hours) which were (almost) identical to those reported in the paper (i.e. 88.8 and 89.1 versus 88.8 and 89.3 reported in the paper). The models used by Nicolai and Kondrak (2016) took a long time to train and for this reason we were only able to validate two accuracy values (out of nine). Both values we obtained (taking 8 hours to compute) were similar, but not identical to those reported in the paper (reported performance: 98.5 and 82.3, our performance: 94.8 and 80.8). Finally, we were able to reproduce (within 3.5 hours) most of the results reported by Tian, Okazaki, and Inui (2016). Four out of six performance values were reproduced exactly, the remaining two performance values we checked only differed slightly (0.41 and 81.2% compared to the reproduced values of 0.42 and 81.1%, respectively).

In sum, we were only able to reproduce the *identical* results of a single study (Liang, Jordan, and Klein 2011). Of course some variability may be expected, due to (for example) randomness in the procedure. If we are a bit more flexible and ignore the single value we were not able to compute during the reproduction of (Coavoux and Crabbé 2016), and also ignore deviations up to 2%, then two 2011 studies (Liang, Jordan, and Klein 2011; He, Lin, and Alani 2011) and three 2016 studies (Coavoux and Crabbé 2016; Hu et al. 2016; Tian, Okazaki, and Inui 2016) were reproduced successfully.

3.3 Citation analysis

To see if there is a tangible benefit for authors to share the source code underlying the paper, we contrasted the number of citations for the papers which provided the code through a link in the paper to those which did not. Comparing the citation counts for the papers from 2011 showed a (non-significant; $p > 0.05$) higher mean citation count for the studies which did not provide the source code compared to those which did provide the source code ($t(117.74) = -0.78, p = 0.44, m_{sc} = 71, m_{no-sc} = 84$). Note that the higher mean for the studies which did not provide the link to the code is caused by twelve highly-cited papers (indicated by the circles in the top-left graph of Figure 2). Excluding these outliers (and the single outlier from the 2011 papers which did provide a link to the code) yields the opposite pattern: a significantly higher mean citation count

for the 2011 papers providing the source code than those which did not ($t(52.19) = 2.13, p = 0.04, m_{sc} = 62, m_{no-sc} = 44$).

For 2016, we observe a significant difference with a higher citation count for the papers providing the source code than those which did not ($t(115.12) = 2.1, p = 0.04, m_{sc} = 27, m_{no-sc} = 15$). Papers which provided the source code had a mean citation count almost double that of the papers which did not provide the source code. Of course, citation counts are highly skewed. For this reason, comparing medians is a better approach as these are less influenced by outliers. For 2011, the median citation count for the papers which provided a link to the source code was 60, whereas it was only 30 for those which did not provide a link to the source code underlying the paper. Despite the large difference in medians, this difference was not significant (Mann-Whitney U test: $p = 0.15$). For the papers published in 2016, the median citation count for the papers providing a link to the source code was 8, whereas it was 6 for those which did not. As with the t -test, this difference was significant (Mann-Whitney U test: $p = 0.005$). In sum, providing a link to the source code, results in a greater uptake of the paper (as measured through citation counts). The distributions of the citation counts are visualized in Figure 2.

3.4 Reproducibility of the present study

For reproducibility of the present study, the (anonymized) count data, the reproduced values for the ten studies, and the R code used for the statistical analyses can be downloaded in a single Excel file available at http://s000.tinyupload.com/?file_id=03850253883222732044.

4. Discussion

In this paper we have assessed how often data and/or source code is provided in order to enable a reproducibility study. While data is often available (also since frequently standard data sources are used, such as those provided by the Linguistic Data Consortium), source code is made available less often. Fortunately, there is a clear improvement from 2011 to 2016, since the percentage of papers providing a (working) link to the source code has approximately doubled (from 18.6% to 36.2%). Unfortunately requesting the source code (if it was not already provided) is unlikely to be successful, as only about a third of the requests was (or could be) granted. Unfortunately, it is likely that the (relatively low) success of our requests is an upper bound. The reason for this is that we signed our emails requesting the data and/or source code with the name of an established member of the ACL community (a past ACL president). We deem it likely that a request of a less established researcher is even less successful.

Finally, even if the source code and data is available, there is no guarantee that the results are reproducible. On the basis of five studies selected from 2011 and five studies from 2016, we found that at most 50% of the studies were reproducible when not enforcing an exact reproduction. If an exact reproduction was required only a single study (from 2011) was reproducible. Approaches such as providing a virtual (e.g., Docker) image with all software, source code and data, or using CodaLab worksheets as done by Liang, Jordan, and Klein (2011) might prove to be worthwhile in order to ensure more effortless reproducibility.

We would like to end with the following recommendation of Pedersen (2008, p. 470) which was made ten years ago, but remains relevant today:




Figure 2
Visualization of citations for 2011 (top row) and 2016 (bottom row) using box plots. The right graphs differ from those on the left by excluding the outliers from the visualization. The gray squares indicate the corresponding means.

Acknowledgments

We thank all authors who took the effort to respond to our request for their data and code.

References

- Barba, Lorena A. 2018. Terminologies for reproducible research. *arXiv preprint arXiv:1802.03311*.
- Bikel, Daniel M. 2004. Intricacies of collins' parsing model. *Comput. Linguist.*, 30(4):479–511.
- Branavan, S. R. K., David Silver, and Regina Barzilay. 2011. Learning to win by reading manuals in a monte-carlo framework. In *Proceedings of the 49th Annual Meeting of the Association for Computational Linguistics*, pages 268–277, Association for Computational Linguistics.
- Branco, António, Kevin Bretonnel Cohen, Piek Vossen, Nancy Ide, and Nicoletta Calzolari. 2017. Replicability and reproducibility of research results for human language technology: introducing an Ire special section. *Language Resources and Evaluation*, 51(1):1–5.
- Coavoux, Maximin and Benoit Crabbé. 2016. Neural greedy constituent parsing with dynamic oracles. In *Proceedings of the 54th Annual Meeting of the Association for Computational Linguistics*, pages 172–182.
- Collberg, Christian, Todd Proebsting, and Alex M. Warren. 2015. Repeatability and benefaction in computer systems research. *studie*.
- Collins, Michael. 1999. *Head-Driven Statistical Models for Natural Language Parsing*. Ph.D. thesis, University of Pennsylvania.
- Drummond, Chris. 2009. Replicability is not reproducibility: nor is it good science. In *Proceedings of the Twenty-Sixth International Conference on Machine Learning: Workshop on Evaluation Methods for Machine Learning IV*.
- Fokkens, Antske, Marieke Erp, Marten Postma, Ted Pedersen, Piek Vossen, and Nuno Freire. 2013. Offspring from reproduction problems: What replication failure teaches us. In *Proceedings of the 51st Annual Meeting of the Association for Computational Linguistics*, volume 1, pages 1691–1701.
- Gao, Qiaozhi, Malcolm Doering, Shaohua Yang, and Joyce Chai. 2016. Physical causality of action verbs in grounded language understanding. In *Proceedings of the 54th Annual Meeting of the Association for Computational Linguistics*, pages 1814–1824.
- He, Yulan, Chenghua Lin, and Harith Alani. 2011. Automatically extracting polarity-bearing topics for cross-domain sentiment classification. In *Proceedings of the 49th Annual Meeting of the Association for Computational Linguistics*, pages 123–131, Association for Computational Linguistics.
- Hu, Zhiting, Xuezhe Ma, Zhengzhong Liu, Eduard Hovy, and Eric Xing. 2016. Harnessing deep neural networks with logic rules. In *Proceedings of the 54th Annual Meeting of the Association for Computational Linguistics*, pages 2410–2420.
- Liang, Percy, Michael I Jordan, and Dan Klein. 2011. Learning dependency-based compositional semantics. In *Proceedings of the 49th Annual Meeting of the Association for Computational Linguistics*, pages 590–599, Association for Computational Linguistics.
- Lieberman, Mark. 2015. Replicability vs. reproducibility – or is it the other way around? *Language Log*, Oct. 31; <http://languagelog.ldc.upenn.edu/nll/?p=21956>.
- Mieskes, Margot. 2017. A quantitative study of data in the nlp community. In *Proceedings of the First ACL Workshop on Ethics in Natural Language Processing*, pages 23–29.
- Nakov, Preslav and Hwee Tou Ng. 2011. Translating from morphologically complex languages: A paraphrase-based approach. In *Proceedings of the 49th Annual Meeting of the Association for Computational Linguistics*, pages 1298–1307, Association for Computational Linguistics.
- Nicolai, Garrett and Grzegorz Kondrak. 2016. Leveraging inflection tables for stemming and lemmatization. In *Proceedings of the 54th Annual Meeting of the Association for Computational Linguistics*, pages 1138–1147.
- Pedersen, Ted. 2008. Empiricism is not a matter of faith. *Computational Linguistics*, 34(3):465–470.
- Sauper, Christina, Aria Haghighi, and Regina Barzilay. 2011. Content models with attitude. In *Proceedings of the 49th Annual Meeting of the Association for Computational Linguistics: Human Language Technologies-Volume 1*, pages 350–358, Association for Computational

Linguistics.

Tian, Ran, Naoaki Okazaki, and Kentaro Inui. 2016. Learning semantically and additively compositional distributional representations. In *Proceedings of the 54th Annual Meeting of the Association for Computational Linguistics*, pages 1277–1287.